

02-05-02

17647

Atty. Docket No.: 9409/2023D

PATENT

THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Samson, et al.
Serial No.: 09/938,703
Filed: August 24, 2001
Entitled: "Therapeutic Applications for CCR5
Chemokine Receptor"

Examiner: Not Yet Assigned

Group Art Unit: Not Yet Assigned

Conf. No.: 1978

TECH CENTER 1600/2900

FEB 07 2002

RECEIVED

CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.10

I hereby certify that the paper (and any paper or fee referred to as being enclosed) is being deposited with the United States Postal Service using Express Mail to Addressee Service, under 37 C.F.R. Section 1.10, **Express Mail Label No. EL326923500US** on this date, **January 31, 2002**, postage prepaid, in an envelope addressed to Box: Customer Service Center, Initial Patent Examination Division, Commissioner for Patents, Washington, D.C. 20231.

Kathleen M. Williams

Name of Person Mailing Paper


Signature of Person Mailing Paper

Customer Service Center
Initial Patent Examination Division
Commissioner for Patents
Washington, D.C. 20231

TRANSMITTAL LETTER

Enclosed for filing the above-identified patent application, please find the following documents:

1. Response to Notice to File Corrected Application Papers;
2. Copy of Notice to File Corrected Application Papers;
3. Twenty (20) Sheets of Substitute Drawings in Compliance with 37 CFR 1.84; and
4. Return Post Card.

The Commissioner for Patents is hereby authorized to charge any additional fees or credit any overpayment in the total fees to Deposit Account No. 16-0085, Reference 9409/2023D. A duplicate of this transmittal letter is enclosed for this purpose.

Respectfully submitted,

Date: January 31, 2002
Name: Kathleen M. Williams

Registration No.: 34,380

111 Huntington Avenue

Boston, MA 02199-7613

Tel: 617-239-0100

09938703-013102



Express Mail Label No.: EL326923500US

Date of Deposit: January 31, 2002

Atty. Docket No.: 9409/2023D PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: Samson, et al.
Serial No.: 09/938,703
Filed: August 24, 2001
Entitled: "Therapeutic Applications for CCR5
Chemokine Receptor"

Examiner: Not Yet Assigned
Group Art Unit: Not Yet Assigned
Conf. No.: 1978

Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Sir:


This is filed in response to the Notice to File Corrected Application Papers mailed December 31, 2001.

1. The Notice stated that substitute drawings are required because the informal drawings do not meet the margin requirements.

Substitute drawings with margins of at least 2.5 cm (top), 2.5 cm (left), 1.5 cm (right) and 1.0 cm (bottom) are submitted herewith.

Respectfully submitted,

Date: January 31, 2002


Name: Kathleen M. Williams
Registration No.: 34,380
Palmer & Dodge LLP
111 Huntington Avenue
Boston, MA 02199-7613
Tel: 617-239-0100

RECEIVED
FEB 07 2002

TECH CENTER 1600/2900

09938703-013102



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/938,703	12/31/2001	Michel Samson	9409/2023D

27495
PALMER & DODGE, LLP
ONE BEACON STREET
BOSTON, MA 02108-3190



RECEIVED

FEB 07 2002

TECH CENTER 1600/2900

CONFIRMATION NO. 1978

FORMALITIES LETTER



OC00000007241809

Date Mailed: 12/31/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.


Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

Docket # Dallen
Response due Resp to Notice
Statutory period 2/28/02 (6/30/02)

Palmer & Dodge LLP
Patent Department
Drop Dead Date

RECEIVED

JAN 16 2002

Palmer & Dodge, LLP
Patent Department

09/938,703